

10-2

Measuring Angles and Arcs



Then

- You measured angles and identified congruent angles. (Lesson 1-4)

Now

- Identify central angles, major arcs, minor arcs, and semicircles, and find their measures.
- Find arc lengths.

Why?

- The thirteen stars of the Betsy Ross flag are arranged equidistant from each other and from a fixed point. The distance between consecutive stars varies depending on the size of the flag, but the measure of the central angle formed by the center of the circle and any two consecutive stars is always the same.




New Vocabulary

- central angle
- arc
- minor arc
- major arc
- semicircle
- congruent arcs
- adjacent arcs
- arc length

Tennessee Curriculum Standards

- ✓ 3108.4.40 Find angle measures, intercepted arc measures, and segment lengths formed by radii, chords, secants, and tangents intersecting inside and outside circles.
- SPI 3108.4.8 Solve problems involving area, circumference, area of a sector, and/or arc length of a circle.
- ✓ 3108.5.1 Determine the area of each sector and the degree measure of each intercepted arc in a pie chart. Also addresses CLE 3108.4.9, SPI 3108.4.13, and ✓3108.5.2.

1 Angles and Arcs A **central angle** of a circle is an angle with a vertex in the center of the circle. Its sides contain two radii of the circle. $\angle ABC$ is a central angle of $\odot B$.




Recall from Lesson 1-4 that a *degree* is $\frac{1}{360}$ of the circular rotation about a point. This leads to the following relationship.

KeyConcept Sum of Central Angles

Words The sum of the measures of the central angles of a circle with no interior points in common is 360.

Example $m\angle 1 + m\angle 2 + m\angle 3 = 360$



Example 1 Find Measures of Central Angles

Find the value of x .

$$m\angle GFH + m\angle HFF + m\angle GFJ = 360$$

Sum of Central Angles

$$130 + 90 + m\angle GFJ = 360$$


Substitution

$$220 + m\angle GFJ = 360$$

Simplify.


$$m\angle GFJ = 140$$

Subtract 220 from each side.




Guided Practice


1A.



1B.



An **arc** is a portion of a circle defined by two endpoints. A central angle separates the circle into two arcs with measures related to the measure of the central angle.



StudyTip

Naming Arcs Minor arcs are named by their endpoints. Major arcs and semicircles are named by their endpoints and another point on the arc that lies between these endpoints.

KeyConcept Arcs and Arc Measure

Arc	Measure
A minor arc is the shortest arc connecting two endpoints on a circle.	The measure of a minor arc is less than 180 and equal to the measure of its related central angle. $m\widehat{AB} = m\angle ACB = x$
A major arc is the longest arc connecting two endpoints on a circle.	The measure of a major arc is greater than 180, and equal to 360 minus the measure of the minor arc with the same endpoints. $m\widehat{ADB} = 360 - m\widehat{AB} = 360 - x$
A semicircle is an arc with endpoints that lie on a diameter.	The measure of a semicircle is 180. $m\widehat{ADB} = 180$

Example 2 Classify Arcs and Find Arc Measures

\overline{GJ} is a diameter of $\odot K$. Identify each arc as a *major arc*, *minor arc*, or *semicircle*. Then find its measure.

a. $m\widehat{GH}$

\widehat{GH} is a minor arc, so $m\widehat{GH} = m\angle GKH$ or 122.


b. $m\widehat{GLH}$

\widehat{GLH} is a major arc that shares the same endpoints as minor arc \widehat{GH} .

$$m\widehat{GLH} = 360 - m\widehat{GH} \\ = 360 - 122 \text{ or } 238$$

c. $m\widehat{GLJ}$

\widehat{GLJ} is a semicircle, so $m\widehat{GLJ} = 180$.




GuidedPractice

\overline{PM} is a diameter of $\odot R$. Identify each arc as a *major arc*, *minor arc*, or *semicircle*. Then find its measure.

2A. $m\widehat{MQ}$

2B. $m\widehat{MNP}$

2C. $m\widehat{MNQ}$



Congruent arcs are arcs in the same or congruent circles that have the same measure.


Theorem 10.1

Words

In the same circle or in congruent circles, two minor arcs are congruent if and only if their central angles are congruent.

Example

If $\angle 1 \cong \angle 2$, then $\widehat{FG} \cong \widehat{HJ}$.
If $\widehat{FG} \cong \widehat{HJ}$, then $\angle 1 \cong \angle 2$.



You will prove Theorem 10.1 in Exercise 52.



Real-World Example 3 Find Arc Measures in Circle Graphs

SPORTS Refer to the circle graph. Find each measure.

a. $m\widehat{CD}$

\widehat{CD} is a minor arc. $m\widehat{CD} = m\angle CSD$

$\angle CSD$ represents 18% of the whole, or 18% of the circle.


$$\begin{aligned} m\angle CSD &= 0.18(360) && \text{Find 18\% of 360.} \\ &= 64.8 && \text{Simplify.} \end{aligned}$$

b. $m\widehat{BC}$

The percents for volleyball and track and field are equal, so the central angles are congruent and the corresponding arcs are congruent.

$$m\widehat{BC} = m\widehat{CD} = 64.8$$

Female Participation in Sports




Guided Practice

3A. $m\widehat{EF}$

3B. $m\widehat{FA}$


Adjacent arcs are arcs in a circle that have exactly one point in common. In $\odot M$, \widehat{HJ} and \widehat{JK} are adjacent arcs. As with adjacent angles, you can add the measures of adjacent arcs.



Postulate 10.1 Arc Addition Postulate

Words The measure of an arc formed by two adjacent arcs is the sum of the measures of the two arcs.

Example $m\widehat{XYZ} = m\widehat{XY} + m\widehat{YZ}$



Math HistoryLink

Euclid (c. 325–265 B.C.) The 13 books of Euclid's *Elements* are influential works of science. In them, geometry and other branches of mathematics are logically developed. Book 3 of *Elements* is devoted to circles, arcs, and angles.

Example 4 Use Arc Addition to Find Measures of Arcs

Find each measure in $\odot F$.

a. $m\widehat{AED}$

$$\begin{aligned} m\widehat{AED} &= m\widehat{AE} + m\widehat{ED} \\ &= m\angle AFE + m\angle EFD \\ &= 63 + 90 \text{ or } 153 \end{aligned}$$

Arc Addition Postulate

$$m\widehat{AE} = m\angle AFE, m\widehat{ED} = m\angle EFD$$


Substitution

b. $m\widehat{ADB}$

$$\begin{aligned} m\widehat{ADB} &= m\widehat{AE} + m\widehat{EDB} \\ &= 63 + 180 \text{ or } 243 \end{aligned}$$

Arc Addition Postulate

\widehat{EDB} is a semicircle, so $m\widehat{EDB} = 180$.



Guided Practice

4A. $m\widehat{CE}$

4B. $m\widehat{ABD}$



WatchOut!

Arc Length The length of an arc is given in linear units, such as centimeters. The measure of an arc is given in degrees.


2 Arc Length Arc length is the distance between the endpoints along an arc measured in linear units. Since an arc is a portion of a circle, its length is a fraction of the circumference.

KeyConcept Arc Length


Words The ratio of the **length of an arc** ℓ to the **circumference** of the circle is equal to the ratio of the degree measure of the arc to 360.

Proportion $\frac{\ell}{2\pi r} = \frac{x}{360}$ or


Equation $\ell = \frac{x}{360} \cdot 2\pi r$

**Example 5** Find Arc Length


Find the length of \widehat{ZY} . Round to the nearest hundredth.



$$\begin{aligned} \ell &= \frac{x}{360} \cdot 2\pi r && \text{Arc Length Equation} \\ &= \frac{75}{360} \cdot 2\pi(4) && \text{Substitution} \\ &\approx 5.24 \text{ in.} && \text{Use a calculator.} \end{aligned}$$



$$\begin{aligned} \ell &= \frac{x}{360} \cdot 2\pi r && \text{Arc Length Equation} \\ &= \frac{130}{360} \cdot 2\pi(10) && \text{Substitution} \\ &\approx 11.34 \text{ cm} && \text{Use a calculator.} \end{aligned}$$






$$\begin{aligned} \ell &= \frac{x}{360} \cdot 2\pi r && \text{Arc Length Equation} \\ &= \frac{75}{360} \cdot 2\pi(6) && \text{Substitution} \\ &\approx 7.85 \text{ in.} && \text{Use a calculator.} \end{aligned}$$

Notice that \widehat{ZY} has the same measure, 75, in both Examples 5a and 5c. The arc lengths, however, are different. This is because they are in circles that have different radii.

GuidedPractice



Find the length of \widehat{AB} . Round to the nearest hundredth.

**StudyTip**

Alternate Method The arc lengths in Examples 5a, 5b, and 5c could also have been calculated using the arc length proportion $\frac{\ell}{2\pi r} = \frac{x}{360}$.




Example 1 Find the value of x .




Example 2 \overline{HK} and \overline{IG} are diameters of $\odot L$. Identify each arc as a *major arc*, *minor arc*, or *semicircle*. Then find its measure.

3. $m\widehat{HI}$ 4. $m\widehat{HI}$ 5. $m\widehat{HGK}$



Example 3 6. **RESTAURANTS** The graph shows the results of a survey taken by diners relating what is most important about the restaurants where they eat.


- a. Find $m\widehat{AB}$.
 b. Find $m\widehat{BC}$.
 c. Describe the type of arc that the category Great Food represents.





Source: USA TODAY

Example 4 \overline{QS} is a diameter of $\odot V$. Find each measure.

7. $m\widehat{STP}$
 8. $m\widehat{QRT}$
 9. $m\widehat{PQR}$







Example 5 Find the length of \widehat{JK} . Round to the nearest hundredth.



Practice and Problem Solving

Extra Practice begins on page 968

Example 1 Find the value of x .



Example 2

\overline{AD} and \overline{CG} are diameters of $\odot B$. Identify each arc as a major arc, minor arc, or semicircle. Then find its measure.

16. $m\widehat{CD}$

17. $m\widehat{AC}$

18. $m\widehat{CFG}$


19. $m\widehat{CGD}$

20. $m\widehat{GCF}$

21. $m\widehat{ACD}$

22. $m\widehat{AG}$


23. $m\widehat{ACF}$



Example 3

24. SHOPPING The graph shows the results of a survey in which teens were asked where the best place was to shop for clothes.

Best Places to Clothes Shop



- What would be the arc measures associated with the mall and vintage stores categories?
- Describe the kinds of arcs associated with the category "Mall" and the category "None of these."
- Are there any congruent arcs in this graph? Explain.

25. FOOD The table shows the results of a survey in which Americans were asked how long food could be on the floor and still be safe to eat.

Dropped Food	
Do you eat food dropped on the floor?	
Not safe to eat	78%
Three-second rule*	10%
Five-second rule*	8%
Ten-second rule*	4%

- If you were to construct a circle graph of this information, what would be the arc measures associated with the first two categories?
- Describe the kind of arcs associated with the first category and the last category.
- Are there any congruent arcs in this graph? Explain.

Source: American Diabetic Association
* The length of time the food is on the floor.

Examples 2, 4 ENTERTAINMENT Use the Ferris wheel shown to find each measure.

26. $m\widehat{FG}$

27. $m\widehat{JH}$

28. $m\widehat{JKF}$

29. $m\widehat{JFH}$

30. $m\widehat{GHF}$

31. $m\widehat{GHK}$

32. $m\widehat{HK}$

33. $m\widehat{JKG}$

34. $m\widehat{KFH}$

35. $m\widehat{HGF}$



Example 5

Use $\odot P$ to find the length of each arc. Round to the nearest hundredth.

36. \widehat{RS} , if the radius is 2 inches


37. \widehat{QT} , if the diameter is 9 centimeters

38. \widehat{QR} , if $PS = 4$ millimeters


39. \widehat{RS} , if $RT = 15$ inches

40. \widehat{QRS} , if $RT = 11$ feet

41. \widehat{RTS} , if $PQ = 3$ meters




HISTORY The figure shows the stars in the Betsy Ross flag referenced at the beginning of the lesson.



42. What is the measure of central angle A ? Explain how you determined your answer.
43. If the diameter of the circle were doubled, what would be the effect on the arc length from the center of one star B to the next star C ?

44. **FARMS** The *Pizza Farm* in Madera, California, is a circle divided into eight equal slices, as shown at the right. Each "slice" is used for growing or grazing pizza ingredients.






- a. What is the total arc measure of the slices containing olives, tomatoes, and peppers?
- b. The circle is 125 feet in diameter. What is the arc length of one slice? Round to the nearest hundredth.

Find each measure. Round each linear measure to the nearest hundredth and each arc measure to the nearest degree.

45. circumference of $\odot S$

46. $m\widehat{CD}$

47. radius of $\odot K$




ALGEBRA In $\odot C$, $m\angle HCG = 2x$ and $m\angle HCD = 6x + 28$. Find each measure.


48. $m\widehat{EF}$

49. $m\widehat{HD}$

50. $m\widehat{HGF}$



51. **RIDES** A pirate ship ride follows a semi-circular path, as shown in the diagram.



- a. What is $m\widehat{AB}$?
- b. If $CD = 62$ feet, what is the length of \widehat{AB} ? Round to the nearest hundredth.

52. **PROOF** Write a two-column proof of Theorem 10.1.

Given: $\angle BAC \cong \angle DAE$

Prove: $\widehat{BC} \cong \widehat{DE}$

